## ITB Dual Dilution w/ Sweetener

35.0" x 23.3" x 12.2" (88.9cm x 59.2cm x 31.0cm)



- Sleek, modernized design language on the brewer, with rounded angles on the corners and trunk
- Digital readout displays in English, Spanish, or French ---for easier programming and control--- and can show either 'Standard' or Metric measurements. Digital readout also shows machine status, and targeted advertising messages can be programmed for display.
- BUNN Infusion Series technology allows for multiple recipes from one footprint --- with three brew buttons and two batch sizes
- Electronic funnel lock prevents removal of each brew funnel until drip- through is complete
- USB programming capable
- Pre-infusion and pulse brew for maximum flavor extraction. Cold brew lockout & digital temperature control further ensure top-notch brewing.
- Specifically designed to accommodate and brew into two BUNN 3.5gal Narrow Tea Dispensers (can also brew directly into standard tea dispensers)
- Each brew button's sweetener may be independently set and easily adjusted using the Sweet Meter
- "Out of Sweetener" indicator LED blinks to aid operator
- Separate inlet for sweetener use existing CO2 systems or external 3rd party pump for sweetener delivery
- Dilution nozzles labeled "Sweet" and "Unsweet"

#### Agency:





### **Specifications**

**Product #:** 52000.0300

Water Access: Plumbed

Finish: Stainless

Funnel: Translucent Tea Funnel

#### **Additional Features**

**Funnel Locks** 

#### **Electrical & Capacity**

Volts	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H <sup>2</sup> O Temp.	Phase	# Wires plus Ground	Hertz
120	14	1700	Yes	NEMA 5-15P	336	60°F (15.5°C)	1	2	60

### Plumbing Requirements

	. ramenig regarieme							
PSI		kPa Fitting Supplied		Water Flow Required (GPM)				
	20-90	138-621	1/4" Male Flare Fitting	1.25				


For most current specifications and other info visit bunn.com.

#### **CAD Drawings**

2D	Revit	KLC
•		



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment.




	Unit				Shipping				
	Width	Height	Depth	Width	Height	Depth	Weight	Volume	
English	12.2 in.	35.0 in.	23.3 in.	13.0 in.	37.0 in.	27.5 in.	45.800 lbs	7.655 ft <sup>3</sup>	
Metric	31.0 cm	88.9 cm	59.2 cm	33.0 cm	94.0 cm	69.9 cm	20.775 kgs	0.217 m³	



# Related Products & Accessories: ITB Dual Dilution w/Sweetener(52000.0300)











# Serving & Holding Options: ITB Dual Dilution w/Sweetener(52000.0300)



TD4T, SIGHT GAUGE NUDGER HDL

Product #:03250.0004



TD4T,BREW THRU LID NUDGER HDL

Product #:03250.0005



TD4T, W/ LIFT HANDLE

Product #:03250.0042



TD4T, W/BREW THRU LID & LIFT HANDLE

Product #:03250.0043



TDO-5, RESERVOIR, **BREW THRU** 

Product #:34100.0003



TDO-N-3.5. RSVR

Product #:39600.0001



TDO-N-4.0, RSVR BUNN

Product #:39600.0002



TDO-N-3.5, RSVR W/ LIFT HANDLE

Product #:39600.0031



TDO-N-3.5, RSVR W/ PINCH TUBE

Product #:39600.0047



TDO-N-3.5, W/BREW THRU LID

Product #:39600.0081



THRU LID

Product #:39600.0083



TD3T-N, RSVR BREW THRU LID BUNN

Product #:43900.0001



TD3T-N, RSVR SOLID LID BUNN

Product #:43900.0002

