ITCB Twin HV (High Volume) 120/240V

35.0" x 23.8" x 20.5" (88.9cm x 60.5cm x 52.1cm)





- Sleek modernized design language, with rounded angles on the corners and trunk
- Brews into 1.5 gallon and 1.0 gallon BUNN Thermofresh servers for coffee, and TD4T, TDO and TDO-N tea dispensers
- Digital readout displays in English, Spanish, or French --- for easier programming and control
- Large 5.6 gallon (21.2L) tank provides back-to-back brewing capacity
- BUNN Infusion Series technology allows for multiple recipes from one footprint --- with three brew buttons and two batch sizes
- Tea brewing capability built-in with integrated dilution nozzle, software and Quick Brew tea brewing funnel
- Energy-saver mode reduces tank temperature during idle periods
- Exclusive Peak Extraction™ Sprayhead is multi-directional with a 17-hole design to ensure ultimate uniformity of extraction
- Electronic funnel lock prevents removal of each brew funnel until drip- through is complete
- USB programming capable
- Brews coffee or tea on both sides Mix and Match to meet your needs
- Pre-infusion and pulse brew for maximum flavor extraction. Cold brew lockout & digital temperature control further ensure top-notch brewing.
- Hot water faucet (supplied for custom installation)

Agency:





Additional Features

Specifications

Product #: 52400.0100
Water Access: Plumbed

Finish: Stainless

Electrical & Capacity

Volts	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H ² O Temp.	Phase	# Wires plus Ground	Hertz
120/240	25	6000	Yes/	-	672	60°F (15.5°C)	1	3	60

Plumbing Requirements


	Tranibing Requirements							
PSI kPa		kPa	Fitting Supplied	Water Flow Required (GPM)				
	20-90 138-621		3/8" BSPP	1.25				

CAD Drawings

2D	Revit	KLC
•		



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.



	Unit			Shipping					
	Width	Height	Depth	Width	Height	Depth	Weight	Volume	
English	20.5 in.	35.0 in.	23.8 in.	20.5 in.	35.0 in.	26.4 in.	95.210 lbs	10.962 ft ³	
Metric	52.1 cm	88.9 cm	60.5 cm	52.1 cm	88.9 cm	67.1 cm	43.187 kgs	0.310 m³	



Related Products & Accessories: ITCB Twin HV (High Volume) 120/240V(52400.0100)





Serving & Holding Options: ITCB Twin HV (High Volume) 120/240V(52400.0100)



TD4T,BREW THRU LID NUDGER HDL

Product #:03250.0005



TD4T, BREW THRU LID NO DECAL NUDGER HDL

Product #:03250.0018



TD4T, W/ LIFT HANDLE

Product #:03250.0042



TD4T, W/BREW THRU LID & LIFT HANDLE

Product #:03250.0043



AIRPOT, 2.5L GL PB SINGLE PK

Product #:13041.0001



AIRPOT, 2.5L GL PB 6/ CASE

Product #:13041.0101



AIRPOT, 2.5L SST LA SINGLE PK

Product #:32125.0000



AIRPOT, 2.5L SST LA 6/ CASE

Product #:32125.0100



AIRPOT, 3.0L SST LA SINGLE PK

Product #:32130.0000



AIRPOT, 3.0L SST LA 6/ CASE

Product #:32130.0100



TDS-3, 3 GAL

Product #:33000.0000



TDS-3.5, 3.5 GAL

Product #:33000.0023



TDO-4, RESERVOIR

Product #:34100.0000



TDO-5, RESERVOIR

Product #:34100.0001



TDO-4, RESERVOIR BREW THRU

Product #:34100.0002



TDO-5, RESERVOIR, BREW THRU

Product #:34100.0003



THERMAL CARAFE, BLK 1.9L 12PK

Product #:36029.0000



THERMAL CARAFE, BLK 1.9L 1PK

Product #:36029.0001



THERMAL CARAFE,ORN 1.9L 12PK

Product #:36252.0000



THERMAL CARAFE,ORN 1.9L 1PK

Product #:36252.0001



Serving & Holding Options: ITCB Twin HV (High Volume) 120/240V(52400.0100)



AIRPOT, 3.8L SST LA SINGLE PK

Product #:36725.0000



AIRPOT, 3.8L SST LA 6/ CASE

Product #:36725.0100



TDO-N-3.5. RSVR

Product #:39600.0001



TDO-N-4.0, RSVR BUNN

Product #:39600.0002



TDO-N-3.5, RSVR W/ LIFT HANDLE

Product #:39600.0031



TDO-N-3.5, RSVR W/ PINCH TUBE

Product #:39600.0047



CARAFE, SST 1.9L SHRT BLK 1/

Product #:40163.0000



CABLE, START **CAPACITOR**

Product #:40613.0000



CAPACITOR

Product #:40613.0001



TF SERVER, DSG2 1G/3.8L

Product #:42700.0000



TF SERVER, DSG2 1G/3.8L BLK

Product #:42700.0001



TF SERVER, DSG2 1G

Product #:42700.0003



TF SERVER, DSG2 1G BLK CD

Product #:42700.0004



TF SERVER, DSG2 1.5G SST

Product #:42750.0000



TF SERVER, DSG2 1.5G

Product #:42750.0001



TF SERVER, DSG2 1.5G CD

Product #:42750.0003



TF SERVER, DSG2 1.5G BLK CD

Product #:42750.0010



TD3T-N, RSVR BREW THRU LID BUNN

Product #:43900.0001



TD3T-N, RSVR SOLID LID BUNN

Product #:43900.0002



TF SERVER, 1G/3.8L MECH

Product #:44000.0000

Serving & Holding Options: ITCB Twin HV (High Volume) 120/240V(52400.0100)



Product #:44000.0001



TF SERVER, 1.5G/5.7L MECH

Product #:44050.0000



TF SERVER, 1.5G/5.7L MECH BLK

Product #:44050.0001

