## **ITCB** Dual-Volt High Volume, PE

35.0" x 24.3" x 10.0" (88.9cm x 61.7cm x 25.4cm)



- 4.3" Color Touchscreen aids in customizing recipes, brewing options and control
- The QWERTY key pad feature allows for easy customization of recipe names in English, Spanish and French
- SmartWAVE sprayhead technology provides enhanced uniformity of extraction and lime scale reduction
- Customers can easily add up to 10 screensaver images to advertise and promote their brand and products
- Brews into 1.5 gallon and 1.0 gallon BUNN ThermoFresh® servers for coffee and TD4T, TDO and TDO-N tea dispensers
- Dilution feature also allows for brewing iced coffee
- Includes both coffee (Stainless) and tea (Plastic) funnels
- Tea brewing capability built-in with integrated dilution nozzle, software and Quick Brew tea brewing funnel
- BrewWISE® intelligence with pre-infusion and pulse brew for maximum flavor extraction
- Digital temperature control and cold brew lockout
- Energy-saver mode reduces tank temperature during idle periods
- Large 3gal (11.4L) tank provides back-to-back brewing capacity
- Dual voltage adaptable (Can operate at 120V/15 amp or 120/208-240V/20 amp)

Agency:



#### Additional Features

Product #: 54000.0100 Water Access: Plumbed Interface: Wireless Finish: Stainless

Funnel: Translucent Tea Funnel

#### **Electrical & Capacity**

Volts	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H <sup>2</sup> O Temp.	Phase	# Wires plus Ground	Hertz
120	14	1700	Yes	NEMA 5-15P	82	60°F (15.5°C)	1	2	60
120/208	14	2900	-	N/A	136	60°F (15.5°C)	1	2	60
120/240	17	4050	-	N/A	183	60°F (15.5°C)	1	2	60

### **Plumbing Requirements**

### CAD Drawings

Created on:

01/01/2019


PSI	kPa	Fitting Supplied	Water Flow Required (GPM)	2D	Revit	KLC
20-90	138-621	3/8" Male Flare Fitting	1.25	•		



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

**Specifications** 

Funnel: Stainless Steel



Unit				Shipping					
	Width	Height	Depth	Width	Height	Depth	Weight	Volume	
English	10.0 in.	35.0 in.	24.3 in.	-	-	-	78.400 lbs	-	
Metric	25.4 cm	88.9 cm	61.7 cm	-	-	-	35.562 kgs	-	



# Related Products & Accessories: ITCB Dual-Volt High Volume, PE(54000.0100)

FILTERS, GOURMET 500 500/1 50/CL	STAND ASSY, TF SERVER GEN3	STAND ASSY, TF SERVER	FUNNEL ASSY, SST INFUSION COFFEE
Product #: 20138.1000	Product #: 39795.0200	Product #: 54473.0000	Product #: 54675.0001



Serving & Holding Options: ITCB Dual-Volt High Volume, PE(54000.0100)





Serving & Holding Options: ITCB Dual-Volt High Volume, PE(54000.0100)





## Serving & Holding Options: ITCB Dual-Volt High Volume, PE(54000.0100)



