Single TF DBC SST 120V w/Funnel Locks

35.7" x 19.2" x 12.1" (90.7cm x 48.8cm x 30.7cm)



Servers and airpots sold separately

Specifications

Product #: 34800.0017 Water Access: Plumbed Interface: Wireless Finish: Stainless Funnel: Smart Funnel

Electrical & Capacity

Volts	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H ² O Temp.	Phase	# Wires plus Ground	Hertz
120	18.1	2200	Yes	NEMA 5-20P	102	60°F (15.5°C)	1	2	60

Plumbing Requirements

• Brews 16.3 to 18.9gal (61.7 to 71.5L)	of perfect coffee per hour
---	----------------------------

- · Coffee extraction controlled with pre-infusion and pulse brew, digital temperature control, and large sprayhead; coffee strength controlled with variable by-pass.
- · Create coffee recipe cards with custom recipes, ad cards with messages that display on the brewer LCD, and dedicated funnels for special coffees with the BrewWISE Recipe Writer using your PC (Windows® compatible).
- · Easy pulse interface allows automatic programming of pulse routine
- Preventive maintenance kit: 39641.0000
- Stores individual coffee recipes so operator can easily brew many varieties
- ThermoFresh® servers are vacuum insulated to keep coffee hot for hours.
- Brews 1/2, 1 or 1 1/2gal (1.9, 3.8 or 5.7L) batches
- SplashGard® funnel deflects hot liquids away from the hand
- Energy saver mode reduces tank temperature during idle periods
- Operate any combination of BrewWISE equipment error-free with wireless brewer-grinder interface through Smart Funnel with SplashGard®
- Funnel locks help improve safety

Agency:

Faucet: Lower





Additional Features **BUNNLINK Compatible BrewWISE**

CAD Drawings


PSI	kPa	Fitting Supplied	Water Flow Required (GPM)	2D	Revit	KLC
20-90	138-621	3/8" Male Flare Fitting	-	•		



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle

Created on: 09/13/2017

the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.



Unit				Shipping					
	Width	Height	Depth	Width	Height	Depth	Weight	Volume	
English	12.1 in.	35.7 in.	19.2 in.	-	-	-	60.100 lbs	8.131 ft ³	
Metric	30.7 cm	90.7 cm	48.8 cm	-	-	-	27.261 kgs	0.230 m³	




 BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle
 Created on:

 the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment.
 09/13/2017

 For most current specifications and other info visit bunn.com.
 09/13/2017

Related Products & Accessories: Single TF DBC SST 120V w/Funnel Locks(34800.0017)





Serving & Holding Options: Single TF DBC SST 120V w/Funnel Locks(34800.0017)





 BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle
 Created on:

 the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment.
 09/13/2017

 For most current specifications and other info visit bunn.com.
 09/13/2017