

Features

- LED lighting
- Integrates with 24H Bianca and 24H Vertical
- Hydraulic Lift Up Top Glass
- Tempered Double Pane Front and Side Glass
- Stainless Steel Work Surface
- Steel Chassis Construction
- Insulated with Dense Non-CFCEcologic Polyurethane Foam
- Inside Structure Made of High Gloss 304 Stainless Steel
- Stainless Steel Work Surface
- Digital Diagnostic Control System with Programmable Defrosting
- Rear Plexiglass Sliding Doors (H40 and H60)
- Self-Contained, Air-Cooled Condensing Unit
- Unique Fan Assisted Airflow Design
- Humidity Control System
- Multiplexing Capability
- Temperature Range: Ambient

Optional Features



- Two Heights: 45.66" (H40) & 53.53" (H60)
- Available in Linear and Square 90 Degrees Designs
- Casters
- Granite Work Surface (Operator Side)
- Remote Condensing Unit
- Optional Front and Side Panels and RAL Custom Color Options





LA ROSSA Ambient Display Case/Showcase features (3) lengths: 39.36" length without panels, 59.05" length without panels, 78.73" length without panels. They are non-refrigerated, with tempered single pane glass on front & double pane glass sides. They feature LED lighting, hydraulic lift up top glass, rear plexiglass sliding doors, (1) shelf, 304 high gloss stainless steel interior, anodized aluminum construction, stainless steel work surface, service merchandiser, ambient, dry, and showcase without front & side panels are options.

Model No.	Application	Description	Height	Length	Depth	Crated Weight	Voltage	Amps
LAR-NS40-A-10-46-39	Ambient	Ambient and one shelf	45.66"	39.36"	32.79"	551#	220/60/1	4
LAR-NS40-A-15-46-59	Ambient	Ambient and one shelf	45.66"	59.05"	32.79"	723#	220/60/1	5
LAR-NS40-A-20-46-79	Ambient	Ambient and one shelf	45.66"	78.73"	32.79"	923#	220/60/1	6
LAR-NS40-A-A90-46-42	Ambient	Ambient and one shelf	45.66"	42.32"	32.79"	715#	220/60/1	5
LAR-NS60-A-10-54-39	Ambient	Ambient and two shelves	53.53"	39.36"	32.79"	608#	220/60/1	4
LAR-NS60-A-15-54-59	Ambient	Ambient and two shelves	53.53"	59.05"	32.79"	766#	220/60/1	5
LAR-NS60-A-20-54-79	Ambient	Ambient and two shelves	53.53"	78.73"	32.79"	952#	220/60/1	6

SIDE VIEW Detailed



SIDE VIEW Basic



Required ambient conditions: 75°F; 55% Relative Humidity
 Drawings and Specification are subject to change without notice.

ELECTRICAL CONNECTION:
 Display cases are shipped with applicable junction box for hardwired installation
 Options exist for several NEMA configurations
 Plug and/or receptacle configurations are at the discretion of the electrical installer

* Pending ETL Certification






ORION by CLABO

HMC Enterprises LLC, 831 East Cayuga Street, Philadelphia, PA. 19124 Ph: 1-800-344-8222 • 215-464-6800 • www.ORIONbyClabo.com




Revised 9/2018

LAR-NS40-A-10-46-39
 LAR-NS40-A-15-46-59
 LAR-NS40-A-20-46-79




PLAN VIEW



REAR VIEW




FRONT VIEW




LAR-NS40-A-A90-46-42


PLAN VIEW






REAR VIEW






FRONT VIEW



PLAN VIEW



REAR VIEW



FRONT VIEW

