BASE MODEL SANDWICH UNIT

Model: RA93N30M-D

Natural Refrigerant R-290 Model

93" Mighty Top Sandwich Unit Refrigerator with Drawers - 30 Pans

Heavy gauge #300 series stainless steel top, stainless steel front and end panels, galvanized steel rear and grills and aluminum interior.



Options and Accessories

(upcharge and lead times may apply)		
Stainless steel interior	Rear-mounted cutting board	
Stainless steel back	Condensing unit left (standard on right)	
Overshelves (single or double)	Drawer in lieu of door section above the condensing unit*	
Vision panel lids	Drawer/door locks	
Flat insulated night covers	Adjustable legs	
Composite cutting board	Front breathing	

Consult factory for other model configurations, options and accessories.

*Drawer section above condensing unit holds (1) 12 x 20 x 6 pan.



Toll-Free: 800-523-7138 Phone: 215-244-1400 Fax: 215-244-9579

539 Dunksferry Road Bensalem, PA 19020 www.continentalrefrigerator.com

Project Name:	
Model Specified:	
Location:	
Item No:	Quantity:
nom no.	Quantity.
AIA #:	SIS #:

Standard Model Features

REFRIGERATION SYSTEM

Performance-rated refrigeration system Natural, environmentally-safe, high-efficiency R-290 refrigerant¹ Unique forced air design utilizes fans (approx. every 12") across the entire back of unit for even distribution of cold Automatic, hot gas condensate evaporator Non-corrosive, plasticized fin evaporator coil Easily serviceable, slide-out condensing unit Expansion valve system

CABINET ARCHITECTURE

2" non-CFC polyurethane foam insulation		
Smooth, polished chrome drawer/door handles		
Spring loaded, self closing door (over condensing unit)		
Magnetic snap-in drawer/door gaskets		
Stainless steel roll-out drawers		
10" deep, full length nylon cutting board		
Insulated lids		
5" casters		

MODEL FEATURES

Knob-type electronic controller mounted in control box		
(30) 1/6 size recessed pans, 4" deep		
Refrigerated section w/door above the condensing unit		
Field rehingeable door (over condensing unit)		

¹ R-290 refrigerant meets all federal and state regulatory requirements.

NOTE: Models come standard with a door above the condensing unit. A drawer above the condensing unit is an option.

APPROVAL:

Model Specifications

Model Plan Views

mouel specifications		
	DIMENSIONAL DATA	
	Net Capacity (cu. ft.)	32 (906 cu l)
	1/6 Size Pans (4" deep)	30
	Width, Overall (in.)	93 (2362 mm)
	Depth, Overall (in.) (incl. handles & bumpers)	37 (940 mm)
	Depth, Cutting Board (in.)	10 (254 mm)
	Height, Overall (in.) (incl. 5" casters)	42 (1067 mm)
	No. of Drawers	6
	No. of Half Doors	1
	Interior Depth (in.) (above condenser)	30 (762 mm)
	Interior Height (in.) (above condenser)	12 1/2 (318 mm)
	Interior Width (in.) (above condenser)	17 (432 mm)
	REFRIGERANT DATA	
	Condensing Unit Size (H.P.)	1/3+
	Capacity (BTU/Hr)*	2600
	ELECTRICAL DATA	
	Voltage (int'l)	115/60/1 (220/50/1)
	Total Amps (int'l)	6.1 (4.7)
	10 ft. Cord/Plug [attached] (int'l)	Yes (No)
	SHIPPING DATA	
	Weight (lbs.)	605 (274 kg)
	Height - Crated (in.)	43 3/4 (1111 mm)
	Width - Crated (in.)	95 (2413 mm)
	Depth - Crated (in.)	47 (1194 mm)
	DRAWER PAN CONFIGURATIONS	

DRAWER PAN CONFIGURATIONSTwo Tier: (1) 12 x 20 x 6 pan & (3) 1/6 x 6 pans (top)(2) 12 x 20 x 6 pans (bottom). Three tier not available.

* Rating @ +25°F evaporator, 90°F ambient

Figures in parentheses reflect metric equivalents rounded to the nearest whole unit.





539 Dunksferry Road Bensalem, PA 19020 www.continentalrefrigerator.com

Due to our continued efforts in developing innovative products, specifications subject to change without notice.

Refrigerator











